

# Infrastructure Code of Practice

## Britannia



**Britannia** is one of the largest natural gas and condensate fields in the North Sea processing oil, condensate and gas from the Britannia, Brodgar, Callanish, Enochdhu, Alder and Finlaggan fields.









































Condensate is delivered through the Forties Pipeline to the oil stabilisation and processing plant, Kerse of Kinneil, near the Grangemouth Refinery in Scotland, and natural gas is transported through a dedicated Britannia pipeline to the Scottish Area Gas Evacuation (SAGE) facility at St. Fergus, Scotland.

To enable production over Britannia, tie-ins could occur at either the Britannia platform, the bridge-linked platform (BLP), or any one of the subsea manifolds: Brodgar, Callanish, Enochdhu, Alder (Alder is operated by Ithaca) or Finlaggan (Finlaggan is operated by NEO Energy).


There are also three spare risers on the BLP.

KEY FACTS	
Field	Britannia
Block	16/26
Sector	U.K. Central North Sea
Approx. distance to land	210 kilometres/130 miles North East of Aberdeen
Water Depth	136 metres (446 feet)
Hydrocarbons Produced	Oil, gas and condensate
Export Method	Gas – by a 28-inch, 116-mile pipeline, to the SAGE terminal at St Fergus. Oil and Condensate – by a 14-inch, 28-mile pipeline to the Forties Pipeline System via the Unity Platform and onwards to Cruden Bay.
Manned / Unmanned	Manned
Operated /Non-Operated	Operated
% of Harbour Equity	58.65%
First Production	3 August 1998
Accommodation On Board	184
Key Commercial Terms	Published Key Terms - Alder

Infrastructure Information	
Entry Specification:	Dependent on the point at which any potential third-party would enter the Britannia facilities and the composition of production already being processed at that time (also includes areas that cover onward transportation).
Exit Specification:	<p>Liquids are exported via the Forties Pipeline System (FPS) (directly negotiable between prospective third-party and FPS). Any exit specification must be achievable with the processing facilities available on the Britannia facilities.</p> <p>Gas is exported through the Britannia pipeline for further processing within the SAGE Gas Terminal at St. Fergus. Exit specification is the National Transmission System specification at that point.</p>
Outline details of primary separation processing facilities:	<p>Primary separation consists of:</p> <p>Britannia Platform – HP Separator (3-phase)*, Platform Well Test Separator (3-phase)*, Finlaggan Separator (3-phase), MP Separator (3-phase), Bridge-Linked Platform (BLP) – Brodgar HP Separator (2-phase), Callanish Separator (3-phase), Brodgar IP Separator (3-phase), Alder Separator (3-phase). *Water is separated, metered and recombined.</p>
Outline details of gas treatment facilities:	Booster compressor is available upstream of the gas treatment and compression trains and allows the Britannia HP Separator to be operated at a lower pressure. There are two parallel gas treatment and compression trains each reducing hydrocarbon dewpoint and water content before compressing the gas for export.

High Level Capacity Information						
Britannia Platform firm processing capacity available	Ullage as % of system capacity					Comment
	2026	2027	2028	2029	2030	
Oil export capacity						3 Condensate Export Pumps available
Gas compression capacity						Based on dual train operation
Booster compressor capacity						Increased suction pressure would increase capacity
Gas export capacity						Based on dual train operation
Gas lift capacity						Capacity dependent on gas export pressure
Produced water handling capacity						
Dehydration capacity						Based on dual train operation
H2S removal capacity	N/A	N/A	N/A	N/A	N/A	None
Water injection capacity	N/A	N/A	N/A	N/A	N/A	Topsides modifications would be required to provide water injection
POB capacity						

#### Available Capacities



Last Update: November 2025

While this information has been prepared in good faith, no warranty or representation (implied or expressed) is made as to its accuracy, completeness or relevance for use by any other party and no liability is accepted by Harbour Energy under any circumstances relating to the information and the use thereof.

### Contact Information

Email: [icop@harbourenergy.com](mailto:icop@harbourenergy.com)