## **Infrastructure Code of Practice**

# Jasmine



The **Jasmine** field lies approximately 6 miles west of the Judy production facility in blocks 30/6a and 30/7a of the UK sector of the North Sea. The field was discovered in June 2006 by well 30/6-6 and side-track 30/6-6z.

Production first began in 2013 following the installation of the Jasmine topsides within the J-Area. It comprises a Jasmine Wellhead platform (JWHP) and the Jasmine Living Quarters platform (JLQ) bridge-linked to the JWHP. Hydrocarbons are produced via a multiphase pipeline from the JWHP to the Judy Riser Platform for processing.

Page 2.

Key Facts						
Field	Jasmine					
Block	30/6a and 30/7a					
Sector	U.K. Central North Sea					
Approx. distance to land	130 nautical miles SE of Aberdeen					
Water Depth	80 metres (263 feet)					
Hydrocarbons Produced	Gas and oil/liquids					
Export Method	Via Judy Platform: From Judy, gas goes to Teesside via the CATS pipeline From Judy, liquids go to Teesside via the Norpipe system					
Manned / Unmanned	Manned					
Operated /Non-Operated	Operated					
% of Harbour Energy Equity	67.0%					
First Production	November 2013					
Accommodation On Board	38					
Key Commercial Terms	Currently there are no agreements in place with third parties for the transportation and/or processing of product via Jasmine					

Infrastructure Information	
Entry Specification:	The entry specification for any future third party production is dependent upon the point at which such production would enter the Jasmine facilities and the composition of production already being processed at that time. The entry specification will cover areas that affect onward processing and transportation as well as those which impact the Jasmine and Judy facilities e.g., slugging limitations and contaminants.
Exit Specification:	For liquid and gas exit specifications ex processing on Judy see Judy ICOP information.

### Page 3.

The basic capacity informa over the next 5 years.	ition is portr	ayed by	/ coloui	r coded	'traffic	: lights	' that reflect thresho	lds of availability	
>25% capacity available		5% - 25% capacity available			•		< 5% capacity available		
Jasmine Platform Firm Processing Capacity Available		Ullage as % of System Capacity					Comment		
		2023	2024	2025	2026	2027			
Jasmine HP separator proc capacity (gas)	essing						At 30 bar. Jasmine HP separator is located on Judy.		
Jasmine HP separator proc capacity (liquids)	essing								
Booster compressor capacity Gas export capacity							Refer to Judy for treatment capacity as all Jasmine fields are treated on Judy platform.		
Gas lift capacity							-		
Produced water handling of	capacity								
Dehydration capacity									
H2S removal capacity									
Water injection capacity									

#### **Disclaimer:**

All the above information is provided by Chrysaor Petroleum Company U.K. Limited (for itself, and other Harbour Energy group companies);

- in good faith and without any liability

- without warranty, implied or expressed to its accuracy

Last update: December 2022

### **Contact Information**

GILLIAN O'HARA

E: gillian.ohara@harbourenergy.com